

This publication supersedes and replaces any previous edition and revision. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission of Tecnicam s.r.l. (Bologna - Italy). The technical data, the images and the diagrams are exclusively indicative and not binding, they might be modified without notice.



OMNIA

THE BLISTER PACKER
FEEDER ABLE TO PROCESS
ALL PHARMACEUTICAL
PRODUCTS



2421-2-1 12/21
P1_20_008-F-335



A WIDE RANGE OF PHARMACEUTICAL PRODUCTS

The **OMNIA** feeder is able to process all pharmaceutical products in blister packs: round tablets, oblong tablets, capsules and oval coated pills. The reduced length of the channel where the products are stacked allows to treat even the tablets that may be trapped in traditional feeding systems.

FREE CHOICE ON THE BLISTER LAYOUT

The product can be fed into the blister following all the possible angles of the cavity and the blister layout is not compulsory.

The packaging material could be of any type of plastic or aluminum. The layout does not affect the feeding speed.

A HIGHER FEEDING SPEED

All the products of a stroke are fed at the same time, this means an increase in speed compared to the traditional feeding systems.

EASY SETTINGS

All the electronic settings can be programmed on the operator panel.

EASY AND QUICK FORMAT CHANGE-OVER

All the settings of the feeding format are saved in the software and therefore the passage from one format to another is simplified as much as possible: once replaced the format parts, the feeder automatically sets itself in the preset positions and no skilled operators or training are necessary.

EASY CLEANING

All the parts that are in contact with the product and need to be cleaned are completely separated from the mechanical system. The format parts are easily removable without any tools.



INTERCHANGEABLE WITH THE TRADITIONAL FEEDERS

The feeding motorization system is located inside the machine feeding area but can be easily and quickly moved backward to allow all Partena's feeding systems to be fitted: this allows to use any existing machines' previous format.

RETROFITTING POSSIBILITY

The new **OMNIA** feeder can be fitted on existing **nMX** and **MK33** machines after appropriate modifications.

This publication supersedes and replaces any previous edition and revision. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without permission of Tecnicam s.r.l. (Bologna - Italy). The technical data, the images and the diagrams are exclusively indicative and not binding, they might be modified without notice.



This publication supersedes and replaces any previous edition and revision. All rights reserved.
No part of this publication may be reproduced, stored in a retrieval system or transmitted
in any form or by any means, electronic, mechanical, photocopying, recording or otherwise,
without permission of Tecnicam s.r.l. (Bologna - Italy).
The technical data, the images and the diagrams are exclusively indicative and not binding,
they might be modified without notice.



COMPLETE PACKAGING LINES

www.campackaging.it

A partena

2421-2-1 12/21
P1_20_008-F-335